



<b>Drug Product: VIMAX VIMAX</b>		<b>COA Ref No NNG8022</b> <b>Page 2 of 2:</b>
<b>Lot No: 1121</b>	<b>Format: 30 capsule</b>	<b>Certificate: TA 927-1 RO</b>
<b>Date Manufacture: 2018-01</b>	<b>Expiry Date: 2021-01</b>	<b>Edition (2) JAN. 2018</b> <b>Description: Acceptance limit for release of drug product</b>

**Withdrawal volumes** Conforms to minimum 5.1 ml USP1  
**Particulate matter** Meets requirements for product Conform USP<788>  
 Blending  
**Clarity Blanding** Clear & free of precipitate Conform USP<1>B  
**Weight Variation Found:** Meets VIMAX's Internal Specifications **USP 25 <2091>**

Verified by:  \_\_\_\_\_ 10.01.2018  
 Robert Stramford  
 Quality Assurance \_\_\_\_\_ Date

Approved by:  \_\_\_\_\_ 10.01.2018  
 Steven Moon \_\_\_\_\_ Date  
 Quality Assurance



**QP/QC APPROVED**  
 By:   
 Date: Jan 10, 2018

COPIE CONFORME À L'ORIGINAL  
 TRUE COPY OF ORIGINAL