



OAI Services Ltd

CONFORMITY CERTIFICATE

THIS IS TO CERTIFY THAT THE PRODUCT EXPORTED TO ROMANIA:

VIMAX (30 capsule)

IS IN CONFORMITY TO THE QUALITY CERTIFICATE SENT WITH THE GOODS.

ALSO WE CERTIFY THAT THIS GOODS DO NOT PRESENT ANY ECOLOGICAL ENVIRONMENTAL OR TOXICITY RISK.

QUALITY ASSURANCE
OAI Services Ltd.
Steven Moon





OAI Services Ltd

CERTIFICATE OF QUALITY

WE HEREBY CONFIRM THAT THE GOODS DELIVERED WITH INVOICE 20181217-DATED 17/12/2018, CORRESPOND TO THE CHARACTERISTICS SPECIFIED IN OUR CATALOGUE FOR PHARMACEUTICALS. WE DECLARE UNDER OWN RESPONSIBILITY THAT THE PRODUCT TO WHICH THIS DECLARATION RELATED IS IN CONFORMITY WITH THEIR REGISTRATION IN ROMANIA.

WE ALSO CERTIFY THAT THESE PHARMACEUTICAL PRODUCTS, SPECIFIED IN THE ABOVE MENTIONED INVOICE, ARE MANUFACTURED ACCORDING TO G.M.P. STANDARDS.

QUALITY ASSURANCE
OAI Services Ltd.
Steven Moon





OAI Services Ltd

Certificate of Analysis

| | | |
|----------------------------|----------------------|-----------------------------------------------------------------------------------|
| Drug product: VIMAX VIMAX | | COA Ref No: NNG8023 Page 1 of 2 |
| Lot number: 7818 | Format: 30 Capsules | Certificate TA 927-2 RO |
| Date Manufactured: 2018-08 | Expiry Date: 2021-12 | Edition (1) AUG.2018 Description: Acceptance limit for release of drug product |

| Compozition | Quantity per serving | Quantity per unit | Lot number | COA reference number(s) |
|------------------------|----------------------|----------------------|---------------|-------------------------|
| Vitamine E | 8,44 mg | 8,44 mg/185iu | 070102 | 070102 |
| Ginko Biloba | 100 mg | 100 mg | 62646-253 | 62646-253 |
| Panax Ginseng | 50 mg | 50 mg/ 5% | 080807-003 | 080807-003 |
| Tribulus Terrestris | 5 mg | Extract (20:1) | TR20070222 | TR20070222 |
| Saw Palametto Berry | 80 mg | 80mg/Fatty acids 45% | 012607-001 | 012607-001 |
| Hawthorne Berry Powder | 17 mg | Extract (10:1) | 051807-165706 | 051807-165706 |
| Avena Stativa | 4 mg | Extract (10:1) | 060921 | 060921 |
| Cayenne Pepper Powder | 20 mg | 40000 HU | 051007-162823 | 051007-162823 |
| Rice Flour | 20 mg | 20 mg | A61600 | A61600 |

TEST

Description:

Degree of coloration

Purity

Assay

Impurities

Side Chain Blanded

Individuals unspecified

Total Impurities

pH

Sterility Testing

Bacterial Endotoxins

U.V Spectra Scan

SPECIFICATION

As of reference B8

≥ 98.0 %

5.4-6.6mg/ml

95-105%(±5%)

≤0.1%

≤0.1%(versus Master file)

≤2.0%

3.0 – 7.0 pH units

Sterile

≤0.67 EU/mg

≤0.4 IU/mg

Conform in standard

RESULTS

Conform

99.54%

6.08 passed

<0.1% passed

<0.1% passed

<0.46% passed

5.61 passed

Sterile

<0.3 EU/mg passed

<0.3 EU/mg passed


Conforms

PROCEDURE

Ph.Eu.2.2.2 Method 1(Table 2.2.2.-2)

HPLC/SOP 6.051

HPLC/SOP 6.051

By: 
 Date: Jan 15/14
 USP<791>
 USP<71>
 USP<85>
 EP (2.6.14)
 UV Spectra Scan




OAI Services Ltd.

MICROBIOLOGICAL TEST

| | Specification | Result | Minimum Label claim |
|--------------|---------------|--------|---------------------|
| Salmonella | NEGATIVE | PASS | SOP QC 418-00 |
| E Coli | NEGATIVE | PASS | SOP QC 418-00 |
| Plate Count | <3000 cfu/gm | PASS | SOP QC 418-00 |
| Mold & Yeast | <100 cfu/gm | PASS | SOP QC 418-00 |

| | | |
|----------------------------------|-----------------------------|--------------------------------------------------------------------------------------------------|
| Drug Product: VIMAX VIMAX | | COA Ref No NNG8023 Page 2 of 2: |
| Lot No: 7818 | Format: 30 capsule | Certificate: TA 927-2 RO |
| Date Manufacture: 2018-08 | Expiry Date: 2021-12 | Edition (2) AUG. 2018 Description: Acceptance limit for release of drug product |

| | | | |
|-------------------------------------------------------------------------------------------------|-----------------------------------------|---------|----------|
| Withdrawable volumes | Conforms to minimum | 5.1 ml | USP1 |
| Particulate matter | Meets requirements for product Blending | Conform | USP<788> |
| Clarity Blanding | Clear & free of precipitate | Conform | USP<1>B |
| Weight Variation Found: Meets VIMAX's Internal Specifications USP 25 <2091> | | | |


 Verified by: _____ 15.08.2018

 Robert Stramford
 Quality Assurance Date


 Approved by: _____ 15.08.2018

 Steven Moon Date
 Quality Assurance



OAI Services Ltd.

QP/QC APPROVED
 By: _____
 Date: Jan 15/19